Contents

Volume 107 1994

Part 1 January

Commentary

Norton, P. A.
Alternative pre-mRNA splicing: factors involved in splice site selection 1-7

Errabolu, R., Sanders, M. A. and Salisbury, J. L.
Cloning of a cDNA encoding human centrin, an EF-hand protein of centrosomes and mitotic spindle poles 9-16

Häuselmann, H. J., Fernandes, R. J., Mok, S. S., Schmid, T. M., Block, J. A., Aydelotte, M. B., Kuettner, K. E. and Thonar, E. J.-M. A.
Phenotypic stability of bovine articular chondrocytes after long-term culture in alginate beads 17-27

Rosendaal, M., Green, C. R., Rahman, A. and Morgan, D.
Up-regulation of the connexin43^{+} gap junction network in haemopoietic tissue before the growth of stem cells 29-37

RayChaudhury, A., Frazier, W. A. and D'Amore, P. A.
Comparison of normal and tumorigenic endothelial cells: differences in thrombospondin production and responses to transforming growth factor-beta 39-46

Wardale, R. J. and Duance, V. C.
Characterisation of articular and growth plate cartilage collagens in porcine osteochondrosis 47-59

Sinensky, M., Fantle, K., Trujillo, M., McLain, T., Kupfer, A. and Dalton, M.
The processing pathway of prelamin A 61-67

Lang, T., de Chastellier, C., Frehel, C., Hellio, R., Metezeau, P., Leao, S. de S. and Antoine, J.-C.
Distribution of MHC class I and of MHC class II molecules in macrophages infected with *Leishmania amazonensis* 69-82

Neveu, M. J., Hully, J. R., Babcock, K. L., Hertzberg, E. L., Nicholson, B. J., Paul, D. L. and Pitot, H. C.
Multiple mechanisms are responsible for altered expression of gap junction genes during oncogenesis in rat liver 83-95

Siegert, F., Weijer, C. J., Nomura, A. and Miike, H.
A gradient method for the quantitative analysis of cell movement and tissue flow and its application to the analysis of multicellular *Dictyostelium* development 97-104

Yeh, B. and Svoboda, K. K. H.
Intracellular distribution of β-actin mRNA is polarized in embryonic corneal epithelia 105-115

Jungbluth, A., von Arnim, V., Biegelmann, E., Humbel, B., Schweiger, A. and Gerisch, G.
Strong increase in the tyrosine phosphorylation of actin upon inhibition of oxidative phosphorylation: correlation with reversible rearrangements in the actin skeleton of *Dictyostelium* cells 117-125

Levina, N. N., Lew, R. R. and Heath, I. B.
Cytoskeletal regulation of ion channel distribution in the tip-growing organism *Saprolegnia ferax* 127-134

Baas, P. W., Pienkowski, T. P., Cimbalnik, K. A., Toyama, K., Bakalis, S., Ahmad, F. J. and Kosik, K. S.
tau confers drug stability but not cold stability to microtubules in living cells 135-143

Jahraus, A., Storrie, B., Griffiths, G. and Desjardins, M.
Evidence for retrograde traffic between terminal lysosomes and the prelysosomal/late endosome compartment 145-157

Belkin, A. M., Klimanskaya, I. V., Lukashev, M. E., Lilley, K., Critchley, D. R. and Koteliansky, V. E.
A novel phosphoglucomutase-related protein is concentrated in adherens junctions of muscle and nonmuscle cells 159-173

Gu, M., Wang, W., Song, W. K., Cooper, D. N. W. and Kaufman, S. J.
Selective modulation of the interaction of $\alpha_7\beta_1$ integrin with fibronectin and laminin by L-14 lectin during skeletal muscle differentiation 175-181

Andre, F., Filippi, P. and Feracci, H.
Merosin is synthesized by thyroid cells in primary culture irrespective of cellular organization 183-193

Strittmatter, S. M., Valenzuela, D. and Fishman, M. C.
An amino-terminal domain of the growth-associated protein GAP-43 mediates its effects on filopodial formation and cell spreading 195-204

Hunt, G., Todd, C., Cresswell, J. E. and Thody, A. J.
α-Melanocyte stimulating hormone and its analogue Nle^{4}DPhe^{7}α-MSH affect morphology, tyrosinase activity and melanogenesis in cultured human melanocytes 205-211

Chantret, I., Rodolosse, A., Barbat, A., Dussaulx, E., Brot-Laroche, E., Zweibaum, A. and Rousset, M.
Differential expression of sucrase-isomaltase in clones isolated from early and late passages of the cell line Caco-2: evidence for glucose-dependent negative regulation 213-225

Wick, M., Bürger, C., Brüsselbach, S., Lucibello, F. C. and Müller, R.
Identification of serum-inducible genes: different patterns of gene regulation during $G_0 \rightarrow S$ and $G_1 \rightarrow S$ progression 227-239

Bürger, C., Wick, M., Brüsselbach, S. and Müller, R.
Differential induction of 'metabolic genes' after mitogen stimulation and during normal cell cycle progression 241-252

Todorov, I. T., Pepperkok, R., Philipova, R. N., Kearsey, S. E., Ansorge, W. and Werner, D.
A human nuclear protein with sequence homology to a family of early S phase proteins is required for entry into S phase and for cell division 253-265

Paulson, J. R., Ciesielski, W. A., Schram, B. R. and Mesner, P. W.
Okadaic acid induces dephosphorylation of histone H1 in metaphase-arrested HeLa cells 267-273

Gavin, A.-C., Cavadore, J.-C. and Schorderet-Slatkine, S.
Histone H1 kinase activity, germinal vesicle breakdown and M phase entry in mouse oocytes 275-283

Cassimeris, L., Rieder, C. L. and Salmon, E. D.
Microtubule assembly and kinetochore directional instability in vertebrate monopolar spindles: implications for the mechanism of chromosome congression 285-297

Fuge, H.
Unorthodox male meiosis in *Trichosia pubescens* (Sciaridae). Chromosome elimination involves polar organelle degeneration and monocentric spindles in first and second division 299-312

Klaus, S., Choy, L., Champigny, O., Cassard-Doulcier, A.-M., Ross, S., Spiegelman, B. and Ricquier, D.
Characterization of the novel brown adipocyte cell line HIB 1B. Adrenergic pathways involved in regulation of uncoupling protein gene expression 313-319

Meadows, L. A., Gell, D., Broadie, K., Gould, A. P. and White, R. A. H.
The cell adhesion molecule, connectin, and the development of the *Drosophila* neuromuscular system 321-328

Brown, J. C., Wiedemann, H. and Timpl, R.
Protein binding and cell adhesion properties of two laminin isoforms (AmB1eB2e, AmB1sB2e) from human placenta 329-338

Marya, P. K., Syed, Z., Fraylich, P. E. and Eagles, P. A. M.
Kinesin and tau bind to distinct sites on microtubules 339-344

Part 2 February

Yokota, E. and Mabuchi, I.
Isolation and characterization of a novel dyein that contains C and A heavy chains from sea urchin sperm flagellar axonemes 345-351

Yokota, E. and Mabuchi, I.
C/A dynein isolated from sea urchin sperm flagellar axonemes. Enzymatic properties and interaction with microtubules 353-361

Lu, Q.-L., Hanby, A. M., Nasser Hajibagheri, M. A., Gschmeissner, S. E., Lu, P.-J., Taylor-Papadimitriou, J., Krajewski, S. and Wright, N. A.
Bcl-2 protein localizes to the chromosomes of mitotic nuclei and is correlated with the cell cycle in cultured epithelial cell lines 363-371

Sloane, B. F., Moin, K., Sameni, M., Tait, L. R., Rozhin, J. and Ziegler, G.
Membrane association of cathepsin B can be induced by transfection of human breast epithelial cells with c-Ha-*ras* oncogene 373-384

Ochs, R. L., Stein Jr, T. W. and Tan, E. M.
Coiled bodies in the nucleolus of breast cancer cells 385-399

Flint, N., Cove, F. L. and Evans, G. S.
Heparin stimulates the proliferation of intestinal epithelial cells in primary culture 401-411

Chambers, J. A., Hollingsworth, M. A., Trezise, A. E. O. and Harris, A.
Developmental expression of mucin genes *MUC1* and *MUC2* 413-424

Bassim Hassan, A., Errington, R. J., White, N. S., Jackson, D. A. and Cook, P. R.
Replication and transcription sites are colocalized in human cells 425-434

Molès, J.-P., Schiller, J. T., Tesniere, A., Leigh, I. M., Guilhou, J.-J. and Basset-Séguin, N.
Analysis of HPV16 E6 and mutant p53-transfected keratinocytes in reconstituted epidermis suggests that wild-type p53 inhibits cytokeratin 19 expression 435-441

Cunningham, A. C., Milne, D. S., Wilkes, J., Dark, J. H., Tetley, T. D. and Kirby, J. A.
Constitutive expression of MHC and adhesion molecules by alveolar epithelial cells (type II pneumocytes) isolated from human lung and comparison with immunocytochemical findings 443-449

Barry, V. A. and Cheek, T. R.
Extracellular ATP triggers two functionally distinct calcium signalling pathways in PC12 cells 451-462

Azum-Gélade, M.-C., Noaillac-Depeyre, J., Caizergues-Ferrer, M. and Gas, N.
Cell cycle redistribution of U3 snRNA and fibrillarin. Presence in the cytoplasmic nucleolus remnant and in the prenucleolar bodies at telophase 463-475

Himelstein, B. P., Canete-Soler, R., Bernhard, E. J. and Muschel, R. J.
Induction of fibroblast 92 kDa gelatinase/type IV collagenase expression by direct contact with metastatic tumor cells 477-486

Rettig, W. J., Erickson, H. P., Albino, A. P. and Garin-Chesa, P.
Induction of human tenascin (neuronectin) by growth factors and cytokines: cell type-specific signals and signalling pathways 487-497

Critchlow, M. A., Bland, Y. S. and Ashhurst, D. E.
The effects of age on the response of rabbit periosteal osteoprogenitor cells to exogenous transforming growth factor-β2 499-516

Arkett, S. A., Dixon, S. J. and Sims, S. M.
Lamellipod extension and K^+ current in osteoclasts are regulated by different types of G proteins 517-526

Schoenenberger, C.-A., Zuk, A., Zinkl, G. M., Kendall, D. and Matlin, K. S.
Integrin expression and localization in normal MDCK cells and transformed MDCK cells lacking apical polarity 527-541

Niessen, C. M., Cremona, O., Daams, H., Ferraresi, S., Sonnenberg, A. and Marchisio, P. C.
Expression of the integrin $\alpha_6\beta_4$ in peripheral nerves: localization in Schwann and perineural cells and different variants of the β_4 subunit 543-552

Appel, D. and Koch-Brandt, C.
Sorting of a secretory protein (gp80) to the apical surface of Caco-2 cells 553-559

Cesario, M. M. and Bartles, J. R.
Compartmentalization, processing and redistribution of the plasma membrane protein CE9 on rodent spermatozoa. Relationship of the annulus to domain boundaries in the plasma membrane cell of the tail 561-570

Kill, I. R., Faragher, R. G. A., Lawrence, K. and Shall, S.
The expression of proliferation-dependent antigens during the lifespan of normal and progeroid human fibroblasts in culture 571-579

Sewing, A., Rönicke, V., Bürger, C., Funk, M. and Müller, R.
Alternative splicing of human cyclin E 581-588

Henderson, C. G., Tucker, J. B., Chaplin, M. A., Mackie, J. B., Maidment, S. N., Mogensen, M. M. and Paton, C. C.
Reorganization of the centrosome and associated microtubules during the morphogenesis of a mouse cochlear epithelial cell 589-600

Domínguez, J. E., Buendia, B., López-Otin, C., Antony, C., Karsenti, E. and Avila, J.
A protein related to brain microtubule-associated protein MAP1B is a component of the mammalian centrosome 601-611

Vandromme, M., Carnac, G., Gauthier-Rouvière, C., Fesquet, D., Lamb, N. and Fernandez, A.
Nuclear import of the myogenic factor MyoD requires cAMP-dependent protein kinase activity but not the direct phosphorylation of MyoD 613-620

Alché, J. D., Fernández, M. C. and Rodríguez-García, M. I.
Cytochemical features common to nucleoli and cytoplasmic nucleoloids of *Olea europeae* meiocytes: detection of rRNA by in situ hybridization 621-629

Buss, F., Kent, H., Stewart, M., Bailer, S. M. and Hanover, J. A.
Role of different domains in the self-association of rat nucleoporin p62 631-638

Hozák, P., Cook, P. R., Schöfer, C., Mosgöller, W. and Wachtler, F.
Site of transcription of ribosomal RNA and intranucleolar structure in HeLa cells 639-648

McFadden, G. I., Gilson, P. R. and Douglas, S. E.
The photosynthetic endosymbiont in cryptomonad cells produces both chloroplast and cytoplasmic-type ribosomes 649-657

Vicker, M. G.
The regulation of chemotaxis and chemokinesis in *Dictyostelium* amoebae by temporal signals and spatial gradients of cyclic AMP 659-667

Wälchli, C., Koch, M., Chiquet, M., Odermatt, B. F. and Trueb, B.
Tissue-specific expression of the fibril-associated collagens XII and XIV 669-681

Stephens, R. E.
Tubulin and tektin in sea urchin embryonic cilia: pathways of protein incorporation during turnover and regeneration 683-692

Steven, A. C. and Steinert, P. M.
Protein composition of cornified cell envelopes of epidermal keratinocytes 693-700

Gee, K., Russell, F. and Gross, J. D.
Ammonia hypersensitivity of slugger mutants of *D. discoideum* 701-708

Wood, C. K., Turner, C. E., Jackson, P. and Critchley, D. R.
Characterisation of the paxillin-binding site and the C-terminal focal adhesion targeting sequence in vinculin 709-717

Walla, O. J., de Groot, E. J. and Schweiger, M.
On the molecular mechanism of the circadian clock: the 41,000 M_r clock protein of *Chlorella* was identified as 3-phosphoglycerate kinase 719-726

Part 3 March

Olink-Coux, M., Arcangeletti, C., Pinardi, F., Minisini, R., Huesca, M., Chezzi, C. and Scherrer, K.
Cytolocation of prosome antigens on intermediate filament subnetworks of cytokeratin, vimentin and desmin type 353-366

Stevenson, B. R. and Begg, D. A.
Concentration-dependent effects of cytochalasin D on tight junctions and actin filaments in MDCK epithelial cells 367-375

Morris, E. J. and Fulton, A. B.
Rearrangement of mRNAs for costamere proteins during costamere development in cultured skeletal muscle from chicken 377-386

Bregman, D. B., Du, L., Li, Y., Ribisi, S. and Warren, S. L.
Cytostellin distributes to nuclear regions enriched with splicing factors 387-396

Nakao, H., Yamamoto, A., Takeuchi, I. and Tasaka, M.
Dictyostelium prespore-specific gene *Dp87* encodes a sorus matrix protein 397-403

De Corte, V., De Potter, C., Vandenberghe, D., Van Laerebeke, N., Azam, M., Roels, H., Mareel, M. and Vandekerckhove, J.
A 50 kDa protein present in conditioned medium of COLO-16 cells stimulates cell spreading and motility, and activates tyrosine phosphorylation of Neu/HER-2, in human SK-BR-3 mammary cancer cells 405-416

Shi, D.-L., Fromentoux, V., Launay, C., Umbhauer, M. and Boucaut, J.-C.
Isolation and developmental expression of the amphibian homolog of the fibroblast growth factor receptor 3 417-425

Mollat, P., Fournier, A., Yang, C. Z., Alsat, E., Zhang, Y., Evain-Brion, D., Grassi, J. and Thang, M. N.
Species specificity and organ, cellular and subcellular localization of the 100 kDa Ras GTPase activating protein 427-435

North, A. J., Gimona, M., Cross, R. A. and Small, J. V.
Calponin is localised in both the contractile apparatus and the cytoskeleton of smooth muscle cells 437-444

North, A. J., Gimona, M., Lando, Z. and Small, J. V.
Actin isoform compartments in chicken gizzard smooth muscle cells 445-455

Montijn, M. B., Houtsmuller, A. B., Oud, J. L. and Nanninga, N.
The spatial localization of 18 S rRNA genes, in relation to the descent of the cells, in the root cortex of *Petunia hybrida* 457-467

McManus, J., Perry, P., Sumner, A. T., Wright, D. M., Thomson, E. J., Allshire, R. C., Hastie, N. D. and Bickmore, W. A.
Unusual chromosome structure of fission yeast DNA in mouse cells 469-486

Guillet-Deniau, I., Leturque, A. and Girard, J.
Expression and cellular localization of glucose transporters (GLUT1, GLUT3, GLUT4) during differentiation of myogenic cells isolated from rat fœtuses 487-496

Wilkerson, C. G., King, S. M. amd Witman, G. B.
Molecular analysis of the γheavy chain of *Chlamydomonas* flagellar outer-arm dynein 497-506

de Almeida, J. B., Holtzman, E. J., Peters, P., Ercolani, L., Ausiello, D. A. and Stow, J. L.
Targeting of chimeric $G\alpha_i$ proteins to specific membrane domains 507-515

Sesso, A., de Faria, F. P., Iwamura, E. S. M. and Corrêa, H.
A three-dimensional reconstruction study of the rough ER-Golgi interface in serial thin sections of the pancreatic acinar cell of the rat 517-528

Johnston, P. A., Stieber, A. and Gonatas, N. K.
A hypothesis on the traffic of MG160, a medial Golgi sialoglycoprotein, from the *trans*-Golgi network to the Golgi cisternae 529-537

Vélez-Granell, C. S., Arias, A. E., Torres-Ruíz, J. A. and Bendayan, M.
Molecular chaperones in pancreatic tissue: the presence of cpn10, cpn60 and hsp70 in distinct compartments along the secretory pathway of the acinar cells 539-549

La Rivière, G., Klein Gebbinck, J. W. T. M., Driessens, M. H. E. and Roos, E.
Pertussis toxin inhibition of T-cell hybridoma invasion is reversed by manganese-induced activation of LFA-1 551-559

Ojakian, G. K. and Schwimmer, R.
Regulation of epithelial cell surface polarity reversal by β_1 integrins 561-576

Simon-Assmann, P., Leberquier, C., Molto, N., Uezato, T., Bouziges, F. and Kedinger, M.
Adhesive properties and integrin expression profiles of two colonic cancer populations differing by their spreading on laminin 577-587

Leung-Hagesteijn, C. Y., Milankov, K., Michalak, M., Wilkins, J. and Dedhar, S.
Cell attachment to extracellular matrix substrates is inhibited upon downregulation of expression of calreticulin, an intracellular integrin α-subunit-binding protein 589-600

Forsburg, S. L. and Nurse, P.
Analysis of the *Schizosaccharomyces pombe* cyclin puc1: evidence for a role in cell cycle exit 601-613

Paris, J., Leplatois, P. and Nurse, P.
Study of the higher eukaryotic gene function CDK2 using fission yeast 615-623

Yoshida, T., Ioshii, S. O., Imanaka-Yoshida, K. and Izutsu, K.
Association of cytoplasmic dynein with manchette microtubules and spermatid nuclear envelope during spermiogenesis in rats 625-633

Mitchell, D. R. and Brown, K. S.
Sequence analysis of the *Chlamydomonas* alpha and beta dynein heavy chain genes 635-644

Gundersen, G. G., Kim, I. and Chapin, C. J.
Induction of stable microtubules in 3T3 fibroblasts by TGF-β and serum 645-659

Cravchik, A., Reddy, D. and Matus, A.
Identification of a novel microtubule-binding domain in microtubule-associated protein 1A (MAP1A) 661-672

Callaini, G., Riparbelli, M. G. and Dallai, R.
The distribution of cytoplasmic bacteria in the early *Drosophila* embryo is mediated by astral microtubules 673-682

Citi, S., Volberg, T., Bershadsky, A. D., Denisenko, N. and Geiger, B.
Cytoskeletal involvement in the modulation of cell-cell junctions by the protein kinase inhibitor H-7 683-692

Matsuoka, Y., Takechi, S., Nakayama, T. and Yoneda, Y.
Exogenous histone H1 injection into mitotic cells disrupts synchronous progression of mitotic events by delaying chromosome decondensation 693-701

Jamilena, M., Ruiz Rejón, C. and Ruiz Rejón, M.
A molecular analysis of the origin of the *Crepis capillaris* B chromosome 703-708

Camidge, D. R. and Pearse, B. M. F.
Cloning of *Drosophila* β-adaptin and its localization on expression in mammalian cells 709-718

Willnow, T. E. and Herz, J.
Genetic deficiency in low density lipoprotein receptor-related protein confers cellular resistance to *Pseudomonas* exotoxin A: evidence that this protein is required for uptake and degradation of multiple ligands 719-726

Davis, E. C.
Immunolocalization of microfibril and microfibril-associated proteins in the subendothelial matrix of the developing mouse aorta 727-736

Milgram, S. L. and Mains, R. E.
Differential effects of temperature blockade on the proteolytic processing of three secretory granule-associated proteins 737-745

Part 4 April

Commentaries

Panaretto, B. A.
Aspects of growth factor signal transduction in the cell cytoplasm 747-752

Ayala S., J.
Transport and internal organization of membranes: vesicles, membrane networks and GTP-binding proteins 753-763

Chan, Y.-m., Yu, Q.-C., LeBlanc-Straceski, J., Christiano, A., Pulkkinen, L., Kucherlapati, R. S., Uitto, J. and Fuchs, E.
Mutations in the non-helical linker segment L1-2 of keratin 5 in patients with Weber-Cockayne epidermolysis bullosa simplex 765-774

Hush, J. M., Wadsworth, P., Callaham, D. A. and Hepler, P. K.
Quantification of microtubule dynamics in living plant cells using fluorescence redistribution after photobleaching 775-784

Williams, B. C. and Goldberg, M. L.
Determinants of *Drosophila* zw10 protein localization and function 785-798

Bassnett, S., Kuszak, J. R., Reinisch, L., Brown, H. G. and Beebe, D. C.
Intercellular communication between epithelial and fiber cells of the eye lens 799-811

Shanks, M. R., Cassio, D., Lecoq, O. and Hubbard, A. L.
An improved polarized rat hepatoma hybrid cell line. Generation and comparison with its hepatoma relatives and hepatocytes in vivo 813-825

Frangioni, J. V., Moghal, N., Stuart-Tilley, A., Neel, B. G. and Alper, S. L.
The DNA binding domain of retinoic acid receptor β is required for ligand-dependent suppression of proliferation. Application of general purpose mammalian coexpression vectors 827-838

Asai, D. J., Beckwith, S. M., Kandl, K. A., Keating, H. H., Tjandra, H. and Forney, J. D.
The dynein genes of *Paramecium tetraurelia*. Sequences adjacent to the catalytic P-loop identify cytoplasmic and axonemal heavy chain isoforms 839-847

Bohrmann, J. and Biber, K.
Cytoskeleton-dependent transport of cytoplasmic particles in previtellogenic to mid-vitellogenic ovarian follicles of *Drosophila*: time-lapse analysis using video-enhanced contrast microscopy 849-858

Endow, S. A., Chandra, R., Komma, D. J., Yamamoto, A. H. and Salmon, E. D.
Mutants of the *Drosophila* ncd microtubule motor protein cause centrosomal and spindle pole defects in mitosis 859-867

Esmaeli-Azad, B., McCarty, J. H. and Feinstein, S. C.
Sense and antisense transfection analysis of tau function: tau influences net microtubule assembly, neurite outgrowth and neuritic stability 869-879

Zhai, Y. and Borisy, G. G.
Quantitative determination of the proportion of microtubule polymer during the mitosis-interphase transition 881-890

Brock, J.-A. K. and Bloom, K.
A chromosome breakage assay to monitor mitotic forces in budding yeast 891-902

He, X.-P., Bataillé, N. and Fried, H. M.
Nuclear export of signal recognition particle RNA is a facilitated process that involves the *Alu* sequence domain 903-912

Bonneaud, N., Minvielle-Sebastia, L., Cullin, C. and Lacroute, F.
Cellular localization of RNA14p and RNA15p, two yeast proteins involved in mRNA stability 913-921

Conibear, E. and Pearse, B. M. F.
A chimera of the cytoplasmic tail of the mannose 6-phosphate/IGF-II receptor and lysozyme localizes to the TGN rather than prelysosomes where the bulk of the endogenous receptor is found 923-932

Wagner, M., Rajasekaran, A. K., Hanzel, D. K., Mayor, S. and Rodriguez-Boulan, E.
Brefeldin A causes structural and functional alterations of the *trans*-Golgi network of MDCK cells 933-943

Holstein, S. E. H., Drucker, M. and Robinson, D. G.
Identification of a β-type adaptin in plant clathrin-coated vesicles 945-953

Bruzzone, R., White, T. W. and Paul, D. L.
Expression of chimeric connexins reveals new properties of the formation and gating behavior of gap junction channels 955-967

Denisenko, N., Burighel, P. and Citi, S.
Different effects of protein kinase inhibitors on the localization of junctional proteins at cell-cell contact sites 969-981

Tang, A., Eller, M. S., Hara, M., Yaar, M., Hirohashi, S. and Gilchrest, B. A.
E-cadherin is the major mediator of human melanocyte adhesion to keratinocytes in vitro 983-992

Tuckwell, D. S., Ayad, S., Grant, M. E., Takigawa, M. and Humphries, M. J.
Conformation dependence of integrin-type II collagen binding. Inability of collagen peptides to support $\alpha_2\beta_1$ binding, and mediation of adhesion to denatured collagen by a novel $\alpha_5\beta_1$-fibronectin bridge 993-1005

Clyman, R. I., Tannenbaum, J., Chen, Y. Q., Cooper, D., Yurchenco, P. D., Kramer, R. H. and Waleh, N. S.
Ductus arteriosus smooth muscle cell migration on collagen: dependence on laminin and its receptors 1007-1018

Hennekes, H. and Nigg, E. A.
The role of isoprenylation in membrane attachment of nuclear lamins. A single point mutation prevents proteolytic cleavage of the lamin A precursor and confers membrane binding properties 1019-1029

Chammas, R., Taverna, D., Cella, N., Santos, C. and Hynes, N. E.
Laminin and tenascin assembly and expression regulate HC11 mouse mammary cell differentiation 1031-1040

Kirkland, S. C. and Henderson, K.
Endocrine and mucous differentiation by a cloned human rectal adenocarcinoma cell line (HRA-19) in vitro: inhibition by TGF-β_1 1041-1046

van der Zee, E., Everts, V., Hoeben, K. and Beertsen, W.
Immunolocalisation of collagenase in rabbit periosteal tissue explants and extraction of the enzyme. The effect of the cytokines IL-1α and EGF 1047-1053

Haarer, B. K., Petzold, A., Lillie, S. H. and Brown, S. S.
Identification of *MYO4*, a second class V myosin gene in yeast 1055-1064

Simonson, G. D., Vincent, A. C., Roberg, K. J., Huang, Y. and Iwanij, V.
Molecular cloning and characterization of a novel liver-specific transport protein 1065-1072

Usuda, N., Hayashi, S., Fujiwara, S., Noguchi, T., Nagata, T., Sambasiva Rao, M., Alvares, K., Reddy, J. K. and Yeldandi, A. V.
Uric acid degrading enzymes, urate oxidase and allantoinase, are associated with different subcellular organelles in frog liver and kidney 1073-1081

Verbavatz, J.-M., Van Hoek, A. N., Ma, T., Sabolic, I., Valenti, G., Ellisman, M. H., Ausiello, D. A., Verkman, A. S. and Brown D.
A 28 kDa sarcolemmal antigen in kidney principal cell basolateral membranes: relationship to orthogonal arrays and MIP26 1083-1094

Roméro, C., Aberdam, E., Larnier, C. and Ortonne, J.-P.
Retinoic acid as modulator of UVB-induced melanocyte differentiation. Involvement of the melanogenic enzymes expression 1095-1103

Part 5 May

Hoh, J. H. and Schoenenberger, C.-A.
Surface morphology and mechanical properties of MDCK monolayers by atomic force microscopy 1105-1114

Ferguson, C., Lakey, A., Hutchings, A., Butcher, G. W., Leonard, K. R. and Bullard, B.
Cytoskeletal proteins of insect muscle: location of zeelins in *Lethocerus* flight and leg muscle 1115-1129

Kobori, H., Toda, T., Yaguchi, H., Toya, M., Yanagida, M. and Osumi, M.
Fission yeast protein kinase C gene homologues are required for protoplast regeneration: a functional link between cell wall formation and cell shape control 1131-1136

Shah, M., Foreman, D. M. and Ferguson, M. W. J.
Neutralising antibody to TGF-$\beta_{1,2}$ reduces cutaneous scarring in adult rodents 1137-1157

Hopkinson-Woolley, J., Hughes, D., Gordon, S. and Martin, P.
Macrophage recruitment during limb development and wound healing in the embryonic and foetal mouse 1159-1167

Kulkarni, G. V. and McCulloch, C. A. G.
Serum deprivation induces apoptotic cell death in a subset of Balb/c 3T3 fibroblasts 1169-1179

Dover, R., Jayaram, Y., Patel, K. and Chinery, R.
p53 expression in cultured cells following radioisotope labelling 1181-1184

Höning, S., Kreimer, G., Robenek, H. and Jockusch, B. M.
Receptor-mediated endocytosis is sensitive to antibodies against the uncoating ATPase (hsc70) 1185-1196

Creanor, J. and Mitchison, J. M.
The kinetics of H1 histone kinase activation during the cell cycle of wild-type and *wee* mutants of the fission yeast *Schizosaccharomyces pombe* 1197-1204

Hunter, I., Lindh, M. and Öbrink, B.
Differential regulation of C-CAM isoforms in epithelial cells 1205-1216

Vandaele, S. F. and Rieger, F.
Co-localization of 1,4-dihydropyridine receptor α_2/δ subunit and N-CAM during early myogenesis in vitro 1217-1227

Meijne, A. M. L., Casey, D. M., Feltkamp, C. A. and Roos, E.
Immuno-EM localization of the β_1 integrin subunit in wet-cleaved fibronectin-adherent fibroblasts 1229-1239

DePasquale, J. A., Samsonoff, W. A. and Gierthy, J. F.
17-β-Estradiol induced alterations of cell-matrix and intercellular adhesions in a human mammary carcinoma cell line 1241-1254

Rovensky, Y. A. and Samoilov, V. I.
Morphogenetic response of cultured normal and transformed fibroblasts, and epitheliocytes, to a cylindrical substratum surface. Possible role for the actin filament bundle pattern 1255-1263

Clark, P.
Modulation of scatter factor/hepatocyte growth factor activity by cell-substratum adhesion 1265-1275

Bellusci, S., Moens, G., Thiery, J. P. and Jouanneau, J.
A scatter factor-like factor is produced by a metastatic variant of a rat bladder carcinoma cell line 1277-1287

Duprez, V., Smoljanovic, M., Lieb, M. and Dautry-Varsat, A.
Trafficking of interleukin 2 and transferrin in endosomal fractions of T lymphocytes 1289-1295

Thomas, J.-L., Steiber, A. and Gonatas, N.
Two proteins associated with secretory granule membranes identified in chicken regulated secretory cells 1297-1308

Storrie, B., Pepperkok, R., Stelzer, E. H. K. and Kreis, T. E.
The intracellular mobility of a viral membrane glycoprotein measured by confocal microscope fluorescence recovery after photobleaching 1309-1319

Mizuno, M. and Singer, S. J.
A possible role for stable microtubules in intracellular transport from the endoplasmic reticulum to the Golgi apparatus 1321-1331

Irwin, C. R., Picardo, M., Ellis, I., Sloan, P., Grey, A. M., McGurk, M. and Schor, S. L.
Inter- and intra-site heterogeneity in the expression of fetal-like phenotypic characteristics by gingival fibroblasts: potential significance for wound healing 1333-1346

Wolburg, H., Neuhaus, J., Kniesel, U., Krauß, B., Schmid, E.-M., Öcalan, M., Farrell, C. and Risau, W.
Modulation of tight junction structure in blood-brain barrier endothelial cells. Effects of tissue culture, second messengers and cocultured astrocytes 1347-1357

Woo, M. K. and Fowler, V. M.
Identification and characterization of tropomodulin and tropomyosin in the adult rat lens 1359-1367

Aghion, J., Gueth-Hallonet, C., Antony, C., Gros, D. and Maro, B.
Cell adhesion and gap junction formation in the early mouse embryo are induced prematurely by 6-DMAP in the absence of E-cadherin phosphorylation 1369-1379

Part 6 June

Commentary
Bassim Hassan, A. and Cook, P. R.
Does transcription by RNA polymerase play a direct role in the initiation of replication? 1381-1387

Tang, T. K., Tang, C.-j. C., Chao, Y.-J. and Wu, C.-W.
Nuclear mitotic apparatus protein (NuMA): spindle association, nuclear targeting and differential subcellular localization of various NuMA isoforms 1389-1402

López de Haro, M. S., Salgado, L. M., David, C. N. and Bosch, T. C. G.
Hydra tropomyosin TROP1 is expressed in head-specific epithelial cells and is a major component of the cytoskeletal structure that anchors nematocytes 1403-1411

Rabino, M., Trusolino, L., Prat, M., Cremona, O., Savoia, P. and Marchisio, P. C.
A monoclonal antibody identifies a novel GPI-anchored glycoprotein involved in epithelial intercellular adhesion 1413-1428

Cirulli, V., Baetens, D., Rutishauser, U., Halban, P. A., Orci, L. and Rouiller, D. G.
Expression of neural cell adhesion molecule (N-CAM) in rat islets and its role in islet cell type segregation 1429-1436

Fernaud-Espinosa, I., Nieto-Sampedro, M. and Bovolenta, P.
Differential effects of glycosaminoglycans on neurite outgrowth from hippocampal and thalamic neurones 1437-1448

Wansink, D. G., Manders, E. E. M., van der Kraan, I., Aten, J. A., van Driel, R. and de Jong, L.
RNA polymerase II transcription is concentrated outside replication domains throughout S-phase 1449-1456

Puvion-Dutilleul, F., Bachellerie, J.-P., Visa, N. and Puvion, E.
Rearrangements of intranuclear structures involved in RNA processing in response to adenovirus infection 1457-1468

Dunckley, M. G., Wells, K. E., Piper, T. A., Wells, D. J. and Dickson, G.
Independent localization of dystrophin N- and C-terminal regions to the sarcolemma of *mdx* mouse myofibres in vivo 1469-1475

Law, D. J., Allen, D. L. and Tidball, J. G.
Talin, vinculin and DRP (utrophin) concentrations are increased at *mdx* myotendinous junctions following onset of necrosis 1477-1483

Baker, L. P., Daggett, D. F. and Peng, H. B.
Concentration of pp125 focal adhesion kinase (FAK) at the myotendinous junction 1485-1497

Tomkins, C. E., Edwards, S. N. and Tolkovsky, A. M.
Apoptosis is induced in post-mitotic rat sympathetic neurons by arabinosides and topoisomerase II inhibitors in the presence of NGF 1499-1507

Golsteyn, R. M., Schultz, S. J., Bartek, J., Ziemiecki, A., Ried, T. and Nigg, E. A.
Cell cycle analysis and chromosomal localization of human Plk1, a putative homologue of the mitotic kinases *Drosophila* polo and *Saccharomyces* cerevisiae Cdc5 1509-1517

Osmani, A. H., van Peij, N., Mischke, M., O'Connell, M. J. and Osmani, S. A.
A single $p34^{cdc2}$ protein kinase (encoded by $nimX^{cdc2}$) is required at G_1 and G_2 in *Aspergillus nidulans* 1519-1528

Paturle-Lafanechère, L., Manier, M., Trigault, N., Pirollet, F., Mazarguil, H. and Job, D.
Accumulation of delta 2-tubulin, a major tubulin variant that cannot be tyrosinated, in neuronal tissues and in stable microtubule assemblies 1529-1543

Fox, L. A., Sawin, K. E. and Sale, W. S.
Kinesin-related proteins in eukaryotic flagella 1545-1550

Johnson, K. A., Haas, M. A. and Rosenbaum, J. L.
Localization of a kinesin-related protein to the central pair apparatus of the *Chlamydomonas reinhardtii* flagellum 1551-1556

Hays, T. S., Porter, M. E., McGrail, M., Grissom, P., Gosch, P., Fuller, M. T. and McIntosh, J. R.
A cytoplasmic dynein motor in *Drosophila*: identification and localization during embryogenesis 1557-1569

Miettinen, H. M. and Jalkanen, M.
The cytoplasmic domain of syndecan-1 is not required for association with Triton X-100-insoluble material 1571-1581

Turner, C. E. and Miller, J. T.
Primary sequence of paxillin contains putative SH2 and SH3 domain binding motifs and multiple LIM domains: identification of a vinculin and $pp125^{Fak}$-binding region 1583-1591

Sarria, A. J., Lieber, J. G., Nordeen, S. K. and Evans, R. M.
The presence or absence of a vimentin-type intermediate filament network affects the shape of the nucleus in human SW-13 cells 1593-1607

Cary, R. B., Klymkowsky, M. W., Evans, R. M., Domingo, A., Dent, J. A. and Backhus, L. E.
Vimentin's tail interacts with actin-containing structures in vivo 1609-1622

Footer, M. and Bretscher, A.
Brush border myosin-I microinjected into cultured cells is targeted to actin-containing surface structures 1623-1631

Ursitti, J. A. and Fowler, V. M.
Immunolocalization of tropomodulin, tropomyosin and actin in spread human erythrocyte skeletons 1633-1639

Jayawickreme, S. P., Green, W. N. and Claudio, T.
Cyclic AMP-regulated AChR assembly is independent of AChR subunit phosphorylation by PKA 1641-1651

Just, I., Richter, H.-P., Prepens, U., von Eichel-Streiber, C. and Aktories, K.
Probing the action of *Clostridium difficile* toxin B in *Xenopus laevis* oocytes 1653-1659

Pizon, V., Desjardins, M., Bucci, C., Parton, R. G. and Zerial, M.
Association of Rap1a and Rap1b proteins with late endocytic/phagocytic compartments and Rap2a with the Golgi complex 1661-1670

Yu, G., Swiston, J. and Young, D.
Comparison of human CAP and CAP2, homologs of the yeast adenylyl cyclase-associated proteins 1671-1678

Hirobe, T.
Effects of activators (SC-9 and OAG) and inhibitors (staurosporine and H-7) of protein kinase C on the proliferation of mouse epidermal melanoblasts in serum-free culture 1679-1686

Smith-Thomas, L. C., Fok-Seang, J., Stevens, J., Du, J.-S., Muir, E., Faissner, A., Geller, H. M., Rogers, J. H. and Fawcett, J. W.
An inhibitor of neurite outgrowth produced by astrocytes 1687-1695

Tanihara, H., Kido, M., Obata, S., Heimark, R. L., Davidson, M., St John, T. and Suzuki, S.
Characterization of cadherin-4 and cadherin-5 reveals new aspects of cadherins 1697-1704

Desbarats, L., Brar, S. K. and Siu, C.-H.
Involvement of cell-cell adhesion in the expression of the cell cohesion molecule gp80 in *Dictyostelium discoideum* 1705-1712

Maillet, C. M. and Shur, B. D.
Perturbing cell surface β-(1,4)-galactosyltransferase on F9 embryonal carcinoma cells arrests cell growth and induces laminin synthesis 1713-1724

Part 7 July

Yoshida, T., Toda, T. and Yanagida, M.
A calcineurin-like gene *ppb1*$^+$ in fission yeast: mutant defects in cytokinesis, cell polarity, mating and spindle pole body positioning 1725-1735

Liu, G. and Newell, P. C.
Regulation of myosin regulatory light chain phosphorylation via cyclic GMP during chemotaxis of *Dictyostelium* 1737-1743

Jackson, D. A., Balajee, A. S., Mullenders, L. and Cook, P. R.
Sites in human nuclei where DNA damaged by ultraviolet light is repaired: visualization and localization relative to the nucleoskeleton 1745-1752

Jackson, D. A., Hassan, A. B., Errington, R. J. and Cook, P. R.
Sites in human nuclei where damage induced by ultraviolet light is repaired: localization relative to transcription sites and concentrations of proliferating cell nuclear antigen and the tumour suppressor protein, p53 1753-1760

Filsell, W., Little, J. C., Stones, A. J., Granger, S. P. and Bayley, S. A.
Transfection of rat dermal papilla cells with a gene encoding a temperature-sensitive polyomavirus large T antigen generates cell lines retaining a differentiated phenotype 1761-1772

Glück, U. and Ben-Ze'ev, A.
Modulation of α-actinin levels affects cell motility and confers tumorigenicity on 3T3 cells 1773-1782

Tiveron, M.-C., Nosten-Bertrand, M., Jani, H., Garnett, D., Hirst, E. M. A., Grosveld, F. and Morris, R. J.
The mode of anchorage to the cell surface determines both the function and the membrane location of Thy-1 glycoprotein 1783-1796

Terasaki, M.
Redistribution of cytoplasmic components during germinal vesicle breakdown in starfish oocytes 1797-1805

Kambach, C. and Mattaj, I. W.
Nuclear transport of the U2 snRNP-specific U2B″ protein is mediated by both direct and indirect signalling mechanisms 1807-1816

Finbow, M. E., Goodwin, S. F., Meagher, L., Lane, N. J., Keen, J., Findlay, J. B. C. and Kaiser, K.
Evidence that the 16 kDa proteolipid (subunit c) of the vacuolar H^+-ATPase and ductin from gap junctions are the same polypeptide in *Drosophila* and *Manduca*: molecular cloning of the *Vha16k* gene from *Drosophila* 1817-1824

Gale, Jr, M., Carter, V. and Parsons, M.
Cell cycle-specific induction of an 89 kDa serine/threonine protein kinase activity in *Trypanosoma brucei* 1825-1832

Chou, C.-F. and Omary, M. B.
Mitotic arrest with anti-microtubule agents or okadaic acid is associated with increased glycoprotein terminal GlcNAc's 1833-1843

Yeo, J.-P., Forer, A. and Toh, B.-H.
A homologue of the human regulator of mitotic spindle assembly protein (RMSA-1) is present in crane fly and is associated with meiotic chromosomes 1845-1851

Mabuchi, I.
Cleavage furrow: timing of emergence of contractile ring actin filaments and establishment of the contractile ring by filament bundling in sea urchin eggs 1853-1862

Postner, M. A. and Wieschaus, E. F.
The *nullo* protein is a component of the actin-myosin network that mediates cellularization in *Drosophila melanogaster* embryos 1863-1873

Goodson, H. V., Kang, S. J. and Endow, S. A.
Molecular phylogeny of the kinesin family of microtubule motor proteins 1875-1884

Allan, V. and Vale, R.
Movement of membrane tubules along microtubules in vitro: evidence for specialised sites of motor attachment 1885-1897

de Pennart, H., Cibert, C., Petzelt, C. and Maro, B.
Microtubule tracks can be detected in mouse oocytes with an antibody directed against a calcium transporter 1899-1908

Pierre, P., Pepperkok, R. and Kreis, T. E.
Molecular characterization of two functional domains of CLIP-170 in vivo 1909-1920

Takeuchi, K., Kawashima, A., Nagafuchi, A. and Tsukita, S.
Structural diversity of band 4.1 superfamily members 1921-1928

Meindl, U., Zhang, D. and Hepler, P. K.
Actin microfilaments are associated with the migrating nucleus and the cell cortex in the green alga *Micrasterias*. Studies on living cells 1929-1934

Ralton, J. E., Lu, X., Hutcheson, A. M. and Quinlan, R. A.
Identification of two N-terminal non-alpha-helical domain motifs important in the assembly of glial fibrillary acidic protein 1935-1948

Gotow, T., Tanaka, T., Nakamura, Y. and Takeda, M.
Dephosphorylation of the largest neurofilament subunit protein influences the structure of crossbridges in reassembled neurofilaments 1949-1957

Hatzfeld, M. and Burba, M.
Function of type I and type II keratin head domains: their role in dimer, tetramer and filament formation 1959-1972

Ma, A. S. P., Bell, D. J., Mittal, A. A. and Harrison, H. H.
Immunocytochemical detection of extracellular annexin II in cultured human skin keratinocytes and isolation of annexin II isoforms enriched in the extracellular pool 1973-1984

Rice, R. H., Wong, V. J. and Pinkerton, K. E.
Ultrastructural visualization of cross-linked protein features in epidermal appendages 1985-1992

Belkin, A. M. and Burridge, K.
Expression and localization of the phosphoglucomutase-related cytoskeletal protein, aciculin, in skeletal muscle 1993-2003

Garcia-del Portillo, F., Graciela Pucciarelli, M., Jefferies, W. A. and Finlay, B. B.
Salmonella typhimurium induces selective aggregation and internalization of host cell surface proteins during invasion of epithelial cells 2005-2020

Bremnes, B., Madsen, T., Gedde-Dahl, M. and Bakke, O.
An LI and ML motif in the cytoplasmic tail of the MHC-associated invariant chain mediate rapid internalization 2021-2032

Barry, S. T. and Critchley, D. R.
Serum-induced assembly of focal adhesions and actin stress fibres in Swiss 3T3 cells is accompanied by tyrosine phosphorylation of pp125FAK and paxillin 2033-2045

Burger, C., Wick, M. and Muller, R.
Lineage-specific regulation of cell cycle gene expression in differentiating myeloid cells 2047-2054

Part 8 August

Commentaries

Wolffe, A. P.
The role of transcription factors, chromatin structure and DNA replication in 5 S RNA gene regulation 2055-2063

Holness, C. L. and Simmons, D. L.
Structural motifs for recognition and adhesion in members of the immunoglobulin superfamily 2065-2070

Ueda, M. and Ogihara, S.
Microtubules are required in amoeba chemotaxis for preferential stabilization of appropriate pseudopods 2071-2079

D'Andrea, L., Danon, M. A., Sgourdas, G. P. and Bonder, E. M.
Identification of coelomocyte unconventional myosin and its association with in vivo particle/vesicle motility 2081-2094

Steffen, W., Fajer, E. A. and Linck, R. W.
Centrosomal components immunologically related to tektins from ciliary and flagellar microtubules 2095-2105

Schlatterer, C., Gollnick, F., Schmidt, E., Meyer, R. and Knoll, G.
Challenge with high concentrations of cyclic AMP induces transient changes in the cytosolic free calcium concentration in *Dictyostelium discoideum* 2107-2115

Ohnishi, M., Tokuda, M., Masaki, T., Fujimura, T., Tai, Y., Matsui, H., Itano, T., Ishida, T., Takahara, J., Konishi, R. and Hatase, O.
Changes in annexin I and II levels during the postnatal development of rat pancreatic islets 2117-2125

Clements, J. M., Newham, P., Shepherd, M., Gilbert, R., Dudgeon, T. J., Needham, L. A., Edwards, R. M., Berry, L., Brass, A. and Humphries, M. J.
Identification of a key integrin-binding sequence in VCAM-1 homologous to the LDV active site in fibronectin 2127-2135

Lang, T., Hellio, R., Kaye, P. M. and Antoine, J.-C.
Leishmania donovani-infected macrophages: characterization of the parasitophorous vacuole and potential role of this organelle in antigen presentation 2137-2150

Gadella, B. M., Gadella, T. W. J. Jr, Colenbrander, B., van Golde, L. M. G. and Lopes-Cardozo M.
Visualization and quantification of glycolipid polarity dynamics in the plasma membrane of the mammalian spermatozoon 2151-2163

Savage, C., Xue, Y., Mitani, S., Hall, D., Zakhary, R. and Chalfie, M.
Mutations in the *Caenorhabditis elegans* β-tubulin gene *mec-7*: effects on microtubule assembly and stability and on tubulin autoregulation 2165-2175

Ghosh, R. N., Gelman, D. L. and Maxfield F. R.
Quantification of low density lipoprotein and transferrin endocytic sorting in HEp2 cells using confocal microscopy 2177-2189

Hozák, P., Jackson, D. A. and Cook, P. R.
Replication factories and nuclear bodies: the ultrastructural characterization of replication sites during the cell cycle 2191-2202

Miyabashira, J., Sekiguchi, T. and Nishimoto, T.
Mammalian cells have two functional RCC1 proteins produced by alternative splicing 2203-2208

Liu, R. Y., Corry, P. M. and Lee, Y. J.
Regulation of chemical stress-induced *hsp70* gene expression in murine L929 cells 2209-2214

Sinensky, M., McLain, T. and Fantle, K.
Expression of prelamin A but not mature lamin A confers sensitivity of DNA biosynthesis to lovastatin on F9 teratocarcinoma cells 2215-2218

van Ruissen, F., van Erp, P. E. J., de Jongh, G. J., Boezeman, J. B. M., van de Kerkhof, P. C. M. and Schalkwijk, J.
Cell kinetic characterization of growth arrest in cultured human keratinocytes 2219-2228

Keating, T. J., Cork, R. J. and Robinson, K. R.
Intracellular free calcium oscillations in normal and cleavage-blocked embryos and artificially activated eggs of *Xenopus laevis* 2229-2237

Walker, G. R., Kane, R. and Burgess, D. R.
Isolation and characterization of a sea urchin zygote cortex that supports in vitro contraction and reactivation of furrowing 2239-2248

Asada, T. and Shibaoka, H.
Isolation of polypeptides with microtubule-translocating activity from phragmoplasts of tobacco BY-2 cells 2249-2257

Hatzfeld, M., Kristjansson, G. I., Plessmann, U. and Weber, K.
Band 6 protein, a major constituent of desmosomes from stratified epithelia, is a novel member of the *armadillo* multigene family 2259-2270

Colomer, V., Rindler, M. J. and Lowe, A. W.
Apical plasma membrane proteins are not obligatorily stored in secretory granules in exocrine cells 2271-2277

Coluccio, L. M.
Differential calmodulin binding to three myosin-1 isoforms from liver 2279-2284

Tuan, T.-L., Keller, L. C., Sun, D., Nimni, M. E. and Cheung, D.
Dermal fibroblasts activate keratinocyte outgrowth on collagen gels 2285-2289

Langford, G. M., Kuznetsov, S. A., Johnson, D., Cohen, D. L. and Weiss, D. G.
Movement of axoplasmic organelles on actin filaments assembled on acrosomal processes: evidence for a barbed-end-directed organelle motor 2291-2298

Chen, W.-J. and Liem, R. K. H.
The endless story of the glial fibrillary acidic protein 2299-2311

Audebert, S., Koulakoff, A., Berwald-Netter, Y., Gros, F., Denoulet, P. and Eddé, B.
Developmental regulation of polyglutamylated α- and β-tubulin in mouse brain neurons 2313-2322

Pesheva, P., Probstmeier, R., Skubitz, A. P. N., McCarthy, J. B., Furcht, L. T. and Schachner, M.
Tenascin-R (J1 160/180) inhibits fibronectin-mediated cell adhesion - functional relatedness to tenascin-C 2323-2333

Alkemade, J. A. C., Molhuizen, H. O. F., Ponec, M., Kempenaar, J. A., Zeeuwen, P. L. J. M., de Jongh, G. J., van Vlijmen-Willems, I. M. J. J., van Erp, P. E. J., van de Kerkhof, P. C. M. and Schalkwijk, J.
SKALP/elafin is an inducible proteinase inhibitor in human epidermal keratinocytes 2335-2342

Castro-Muñozledo, F.
Development of a spontaneous permanent cell line of rabbit corneal epithelial cells that undergoes sequential stages of differentiation in cell culture 2343-2351

Part 9 September

Commentary
Isacke, C. M.
The role of the cytoplasmic domain in regulating CD44 function 2353-2359

Cho, M., Hughes, S. M., Karsch-Mizrachi, I., Travis, M., Leinwand, L. A. and Blau, H. M.
Fast myosin heavy chains expressed in secondary mammalian muscle fibers at the time of their inception 2361-2371

Hayakawa, T., Yamashita, K., Ohuchi, E. and Shinagawa, A.
Cell growth-promoting activity of tissue inhibitor of metalloproteinases-2 (TIMP-2) 2373-2379

Montcourrier, P., Mangeat, P. H., Valembois, C., Salazar, G., Sahuquet, A., Duperray, C. and Rochefort, H.
Characterization of very acidic phagosomes in breast cancer cells and their association with invasion 2381-2391

Fechheimer, M., Ingalls, H. M., Furukawa, R. and Luna, E. J.
Association of the *Dictyostelium* 30 kDa actin bundling protein with contact regions 2393-2401

van de Velde, H. J. K., Roebroek, A. J. M., Senden, N. H. M., Ramaekers, F. C. S. and Van de Ven, W. J. M.
NSP-encoded reticulons, neuroendocrine proteins of a novel gene family associated with membranes of the endoplasmic reticulum 2403-2416

Marks, D. L., Larkin, J. M. and McNiven, M. A.
Association of kinesin with the Golgi apparatus in rat hepatocytes 2417-2426

Pietrasanta, L. I., Schaper, A. and Jovin, T. M.
Imaging subcellular structures of rat mammary carcinoma cells by scanning force microscopy 2427-2437

Rochwerger, L., Dho, S., Parker, L., Foskett, J. K. and Buchwald, M.
Estrogen-dependent expression of the cystic fibrosis transmembrane regulator gene in a novel uterine epithelial cell line 2439-2448

Kaplanski, G., Farnarier, C., Benoliel, A.-M., Foa, C., Kaplanski, S. and Bongrand, P.
A novel role for E- and P-selectins: shape control of endothelial cell monolayers 2449-2457

Campochiaro, P. A., Hackett, S. F., Vinores, S. A., Freund, J., Csaky, C., LaRochelle, W., Henderer, J., Johnson, M., Rodriguez, I. R., Friedman, Z., Derevjanik, N. and Dooner, J.
Platelet-derived growth factor is an autocrine growth stimulator in retinal pigmented epithelial cells 2459-2469

Winter, G., Fuchs, M., McConville, M. J., Stierhof, Y.-D. and Overath, P.
Surface antigens of *Leishmania mexicana* amastigotes: characterization of glycoinositol phospholipids and a macrophage-derived glycosphingolipid 2471-2482

Bicknell, G. R., Snowden, R. T. and Cohen, G. M.
Formation of high molecular mass DNA fragments is a marker of apoptosis in the human leukaemic cell line, U937 2483-2489

Cheshire, J. L., Evans, J. H. and Keller, L. R.
Ca^{2+} signaling in the *Chlamydomonas* flagellar regeneration system: cellular and molecular responses 2491-2498

Jiang, B., Liou, G. I., Behzadian, M. A. and Caldwell, R. B.
Astrocytes modulate retinal vasculogenesis: effects on fibronectin expression 2499-2508

Andréoli, C., Martin, M., Le Borgne, R., Reggio, H. and Mangeat, P.
Ezrin has properties to self-associate at the plasma membrane 2509-2521

Winckler, B., González Agosti, C., Magendantz, M. and Solomon, F.
Analysis of a cortical cytoskeletal structure: a role for ezrin-radixin-moesin (ERM proteins) in the marginal band of chicken erythrocytes 2523-2534

Appeddu, P. A. and Shur, B. D.
Control of stable lamellipodia formation by expression of cell surface β1,4-galactosyltransferase cytoplasmic domains 2535-2545

Jackman, M. R., Shurety, W., Ellis, J. A. and Luzio, J. P.
Inhibition of apical but not basolateral endocytosis of ricin and folate in Caco-2 cells by cytochalasin D 2547-2556

Meijne, A. M. L., Driessens, M. H. E., La Rivière, G., Casey, D., Feltkamp, C. A. and Roos, E.
LFA-1 integrin redistribution during T-cell hybridoma invasion of hepatocyte cultures and manganese-induced adhesion to ICAM-1 2557-2566

Watson, N., McGuire, V. and Alexander, S.
The PsB glycoprotein complex is secreted as a preassembled precursor of the spore coat in *Dictyostelium discoideum* 2567-2579

Yamagata, M. and Kimata, K.
Repression of a malignant cell-substratum adhesion phenotype by inhibiting the production of the anti-adhesive proteoglycan, PG-M/versican 2581-2590

Carsberg, C. J., Warenius, H. M. and Friedmann, P. S.
Ultraviolet radiation-induced melanogenesis in human melanocytes. Effects of modulating protein kinase C 2591-2597

Mesri, E. A., Ono, M., Kreitman, R. J., Klagsbrun, M. and Pastan, I.
The heparin-binding domain of heparin-binding EGF-like growth factor can target *Pseudomonas* exotoxin to kill cells exclusively through heparan sulfate proteoglycans 2599-2608

Mayer-Jaekel, R. E., Ohkura, H., Ferrigno, P., Andjelkovic, N., Shiomi, K., Uemura, T., Glover, D. M. and Hemmings, B. A.
Drosophila mutants in the 55 kDa regulatory subunit of protein phosphatase 2A show strongly reduced ability to dephosphorylate substrates of $p34^{cdc2}$ 2609-2616

Fujimura, H.-a.
Yeast homolog of mammalian mitogen-activated protein kinase, FUS3/DAC2 kinase, is required both for cell fusion and for G_1 arrest of the cell cycle and morphological changes by the *cdc37* mutation 2617-2622

Hurle, J. M., Corson, G., Daniels, K., Reiter, R. S., Sakai, L. Y. and Solursh, M.
Elastin exhibits a distinctive temporal and spatial pattern of distribution in the developing chick limb in association with the establishment of the cartilaginous skeleton 2623-2634

Lecureux, L. W. and Wattenberg, B. W.
The regulated degradation of a 3-hydroxy-3-methylglutaryl-coenzyme A reductase reporter construct occurs in the endoplasmic reticulum 2635-2642

Spurck, T. P. and Pickett-Heaps, J. D.
The effects of diazepam on mitosis and the microtubule cytoskeleton. I. Observations on the diatoms *Hantzschia amphioxys* and *Surirella robusta* 2643-2651

Part 10 October

Commentary
Singh, P. B.
Molecular mechanisms of cellular determination: their relation to chromatin structure and parental imprinting 2653-2668

Pavasant, P., Shizari, T. M. and Underhill, C. B.
Distribution of hyaluronan in the epiphysial growth plate: turnover by CD44-expressing osteoprogenitor cells 2669-2677

Nicolas, F., Tiveron, M.-C., Davoust, J. and Reggio, H.
GPI membrane anchor is determinant in intracellular accumulation of apical plasma membrane proteins in the non-polarized human colon cancer cell line HT-29 18 2679-2689

Cornillon, S., Foa, C., Davoust, J., Buonavista, N., Gross, J. D. and Golstein, P.
Programmed cell death in *Dictyostelium* 2691-2704

Sönnichsen, B., Füllekrug, J., Nguyen Van, P., Diekmann, W., Robinson, D. G. and Mieskes, G.
Retention and retrieval: both mechanisms cooperate to maintain calreticulin in the endoplasmic reticulum 2705-2717

Füllekrug, J., Sönnichsen, B., Wünsch, U., Arseven, K., Nguyen Van, P., Söling, H.-D. and Mieskes, G.
CaBP1 a calcium binding protein of the thioredoxin family, is a resident KDEL protein of the ER and not of the intermediate compartment 2719-2727

Rimmington, G., Dalby, B. and Glover, D. M.
Expression of N-terminally truncated cyclin B in the *Drosophila* larval brain leads to mitotic delay at late anaphase 2729-2738

Hara, M., Yaar, M., Tang, A., Eller, M. S., Reenstra, W. and Gilchrest, B. A.
Role of integrins in melanocyte attachment and dendricity 2739-2748

Dobson, M. J., Pearlman, R. E., Karaiskakis, A., Spyropoulos, B. and Moens, P. B.
Synaptonemal complex proteins: occurrence, epitope mapping and chromosome disjunction 2749-2760

Kubota, K. and Nakazato, K.
The role of duplication of tumour-derived chromosome 15 carrying the rearranged *pvt*-1 gene in the transformed phenotype of YACUT T-cell lymphoma × G4 T-cell line somatic cell hybrids in dictating the terminal differentiation program of the parental G4 cell 2761-2768

Mozingo, N. M., Somers, C. E. and Chandler, D. E.
Ultrastructure of the proteoliaisin-ovoperoxidase complex and its spatial organization within the *Strongylocentrotus purpuratus* fertilization envelope 2769-2777

Forsburg, S. L. and Nurse, P.
The fission yeast *cdc19*$^{+}$ gene encodes a member of the MCM family of replication proteins 2779-2788

Poon, R. Y. C., Yamashita, K., Howell, M., Ershler, M. A., Belyavsky, A. and Hunt, T.
Cell cycle regulation of the $p34^{cdc2}/p33^{cdk2}$-activating kinase $p40^{MO15}$ 2789-2799

Bush, J., Nolta, K., Rodriguez-Paris, J., Kaufmann, N., O'Halloran, T., Ruscetti, T., Temesvari, L., Steck, T. and Cardelli, J.
A Rab4-like GTPase in *Dictyostelium discoideum* colocalizes with V-H^{+}-ATPases in reticular membranes of the contractile vacuole complex and in lysosomes 2801-2812

Morano, K. A. and Klionsky, D. J.
Differential effects of compartment deacidification on the targeting of membrane and soluble proteins to the vacuole in yeast 2813-2824

Lajoie-Mazenc, I., Tollon, Y., Detraves, C., Julian, M., Moisand, A., Gueth-Hallonet, C., Debec, A., Salles-Passador, I., Puget, A., Mazarguil, H., Raynaud-Messina, B. and Wright, M.
Recruitment of antigenic gamma-tubulin during mitosis in animal cells: presence of gamma-tubulin in the mitotic spindle 2825-2837

Bulinski, J. C. and Bossler, A.
Purification and characterization of ensconsin, a novel microtubule stabilizing protein 2839-2849

Joly, E. C., Tremblay, E., Tanguay, R. M., Wu, Y. and Bibor-Hardy, V.
TRiC-P5, a novel TCP1-related protein, is localized in the cytoplasm and in the nuclear matrix 2851-2859

Mínguez, A., Franca, S. and Moreno Díaz de la Espina, S.
Dinoflagellates have a eukaryotic nuclear matrix with lamin-like proteins and topoisomerase II 2861-2873

Lee, R. J., Egelhoff, T. T. and Spudich, J. A.
Molecular genetic truncation analysis of filament assembly and phosphorylation domains of *Dictyostelium* myosin heavy chain 2875-2886

Morse-Gaudio, M. and Risley, M. S.
Topoisomerase II expression and VM-26 induction of DNA breaks during spermatogenesis in *Xenopus laevis* 2887-2898

Davis, P. B., Silski, C. L. and Perez, A.
cAMP does not regulate $[Ca^{2+}]_i$ in human tracheal epithelial cells in primary culture 2899-2907

Baricault, L., de Néchaud, B., Sapin, C., Codogno, P., Denoulet, P. and Trugnan, G.
The network organization and the phosphorylation of cytokeratins are concomitantly modified by forskolin in the enterocyte-like differentiated Caco-2 cell line 2909-2918

Lucassen, E., Andres, A.-C., Reichmann, E., Entwistle, A. and Noble, M.
The effects of the *neuN* and *neuT* genes on differentiation and transformation of mammary epithelial cells 2919-2929

Atherton, A. J., O'Hare, M. J., Buluwela, L., Titley, J., Monaghan, P., Paterson, H. F., Warburton, M. J. and Gusterson, B. A.
Ectoenzyme regulation by phenotypically distinct fibroblast sub-populations isolated from the human mammary gland 2931-2939

King, K. L., Stewart, M. and Roberts, T. M.
Supramolecular assemblies of the *Ascaris suum* major sperm protein (MSP) associated with amoeboid cell motility 2941-2949

Temm-Grove, C. J., Jockusch, B. M., Rohde, M., Niebuhr, K., Chakraborty, T. and Wehland, J.
Exploitation of microfilament proteins by *Listeria monocytogenes*: microvillus-like composition of the comet tails and vectorial spreading in polarized epithelial sheets 2951-2960

Had, L., Faivre-Sarrailh, C., Legrand, Ch., Méry, J., Brugidou, J. and Rabié, A.
Tropomyosin isoforms in rat neurons: the different developmental profiles and distributions of TM-4 and TMBr-3 are consistent with different functions 2961-2973

Part 11 November

Commentary
Elenius, K. and Jalkanen, M.
Function of the syndecans - a family of cell surface proteoglycans 2975-2982

Bartolomé, S., Bermúdez, A. and Daban, J.-R.
Internal structure of the 30 nm chromatin fiber 2983-2992

Baron, A. T., Suman, V. J., Nemeth, E. and Salisbury, J. L.
The pericentriolar lattice of PtK_2 cells exhibits temperature and calcium-modulated behavior 2993-3003

Ohsumi, K., Sawada, W. and Kishimoto, T.
Meiosis-specific cell cycle regulation in maturing *Xenopus* oocytes 3005-3013

Wilson, P. J., Forer, A. and Leggiadro, C.
Evidence that kinetochore microtubules in crane-fly spermatocytes disassemble during anaphase primarily at the poleward end 3015-3027

Rech, J., Barlat, I., Veyrune, J. L., Vie, A. and Blanchard, J. M.
Nuclear import of serum response factor (SRF) requires a short amino-terminal nuclear localization sequence and is independent of the casein kinase II phosphorylation site 3029-3036

Boitano, S., Sanderson, M. J. and Dirksen, E. R.
A role for Ca^{2+}-conducting ion channels in mechanically-induced signal transduction of airway epithelial cells 3037-3044

Hola, M., Castleden, S., Howard, M. and Brooks, R. F.
Initiation of DNA synthesis by nuclei from scrape-ruptured quiescent mammalian cells in high-speed supernatants of *Xenopus* egg extracts 3045-3053

Hill, P. A., Murphy, G., Docherty, A. J. P., Hembry, R. M., Millican, T. A., Reynolds, J. J. and Meikle, M. C.
The effects of selective inhibitors of matrix metalloproteinases (MMPs) on bone resorption and the identification of MMPs and TIMP-1 in isolated osteoclasts 3055-3064

Veras, P. S. T., de Chastellier, C., Moreau, M.-F., Villiers, V., Thibon, M., Mattei, D. and Rabinovitch, M.
Fusion between large phagocytic vesicles: targeting of yeast and other particulates to phagolysosomes that shelter the bacterium *Coxiella burnetii* or the protozoan *Leishmania amazonensis* in Chinese hamster ovary cells 3065-3076

Maupin, P., Phillips, C. L., Adelstein, R. S. and Pollard, T. D.
Differential localization of myosin-II isozymes in human cultured cells and blood cells 3077-3090

Vig, B. K., Latour, D. and Frankovich, J.
Dissociation of minor satellite from the centromere in mouse 3091-3095

Sparvoli, E., Levi, M. and Rossi, E.
Replicon clusters may form structurally stable complexes of chromatin and chromosomes 3097-3103

Luo, Q., Michaelis, C. and Weeks, G.
Overexpression of a truncated cyclin B gene arrests *Dictyostelium* cell division during mitosis 3105-3114

Ferralli, J., Doll, T. and Matus, A.
Sequence analysis of MAP2 function in living cells 3115-3125

Maaloum, M., Chrétien, D., Karsenti, E. and Hörber, J. K. H.
Approaching microtubule structure with the scanning tunneling microscope (STM) 3127-3131

Koch, E. A., Spitzer, R. H., Pithawalla, R. B. and Parry, D. A. D.
An unusual intermediate filament subunit from the cytoskeletal biopolymer released extracellularly into seawater by the primitive hagfish (*Eptatretus stouti*) 3133-3144

Rodríguez, M. L., Brignoni, M. and Salas, P. J. I.
A specifically apical sub-membrane intermediate filament cytoskeleton in non-brush-border epithelial cells 3145-3151

Tözeren, A., Kleinman, H. K., Wu, S., Mercurio, A. M. and Byers, S. W.
Integrin $\alpha_6\beta_4$ mediates dynamic interactions with laminin 3153-3163

de Curtis, I. and Gatti, G.
Identification of a large complex containing the integrin $\alpha_6\beta_1$ laminin receptor in neural retinal cells 3165-3172

Chettibi, S., Lawrence, A. J., Young, J. D., Lawrence, P. D. and Stevenson, R. D.
Dispersive locomotion of human neutrophils in response to a steroid-induced factor from monocytes 3173-3181

Milstone, L. M., Hough-Monroe, L., Kugelman, L. C., Bender, J. R. and Haggerty, J. G.
Epican, a heparan/chondroitin sulfate proteoglycan form of CD44, mediates cell-cell adhesion 3183-3190

Brickman, M. J. and Balber, A. E.
Transport of a lysosomal membrane glycoprotein from the Golgi to endosomes and lysosomes via the cell surface in African trypanosomes 3191-3200

Quarto, N. and Amalric, F.
Heparan sulfate proteoglycans as transducers of FGF-2 signalling 3201-3212

Karthikeyan, L., Flad, M., Engel, M., Meyer-Puttlitz, B., Margolis, R. U. and Margolis, R. K.
Immunocytochemical and in situ hybridization studies of the heparan sulfate proteoglycan, glypican, in nervous tissue 3213-3222

Wang, J., Satoh, M., Pierani, A., Schmitt, J., Chou, C.-H, Stunnenberg, H. G., Roeder, R. G. and Reeves, W. H.
Assembly and DNA binding of recombinant Ku (p70/p80) autoantigen defined by a novel monoclonal antibody specific for p70/p80 heterodimers 3223-3233

Harris, E., Watterson, D. M. and Thorner, J.
Functional consequences in yeast of single-residue alterations in a consensus calmodulin 3235-3249

Renault, E. and Deschatrette, J.
Inductive effect of copper deficiency on the reversion of dedifferentiated rat hepatoma cells and on gene amplification 3251-3258

Part 12 December

Commentary
Hutchison, C. J., Bridger, J. M., Cox, L. S. and Kill, I. R.
Weaving a pattern from disparate threads: lamin function in nuclear assembly and DNA replication 3259-3269

Li, Y. Q., Roberts, S. A., Paulus, U., Loeffler, M. and Potten, C. S.
The crypt cycle in mouse small intestinal epithelium 3271-3279

Sardini, A., Mintenig, G. M., Valverde, M. A., Sepúlveda, F. V., Gill, D. R., Hyde, S. C., Higgins, C. F. and McNaughton, P. A.
Drug efflux mediated by the human multidrug resistance P-glycoprotein is inhibited by cell swelling 3281-3290

Nomura, A.
Nuclear distribution of proliferating cell nuclear antigen (PCNA) in fertilized eggs of the starfish *Asterina pectinifera* 3291-3300

Bacallao, R., Garfinkel, A., Monke, S., Zampighi, G. and Mandel, L. J.
ATP depletion: a novel method to study junctional properties in epithelial tissues. I. Rearrangement of the actin cytoskeleton 3301-3313

Mandel, L. J., Doctor, R. B. and Bacallao, R.
ATP depletion: a novel method to study junctional properties in epithelial tissues. II. Internalization of Na^+,K^+-ATPase and E-cadherin 3315-3324

Fagotto, F. and Maxfield, F. R.
Changes in yolk platelet pH during *Xenopus laevis* development correlate with yolk utilization. A quantitative confocal microscopy study 3325-3337

Gaietta, G., Redelmeier, T. E., Jackson, M. R., Tamura, R. N. and Quaranta, V.
Quantitative measurement of $\alpha_6\beta_1$ and $\alpha_6\beta_4$ integrin internalization under cross-linking conditions: a possible role for α_6 cytoplasmic domains 3339-3349

Turner, A., Wells, B. and Roberts, K.
Plasmodesmata of maize root tips: structure and composition 3351-3361

Gjertsen, B. T., Cressey, L. I., Ruchaud, S., Houge, G., Lanotte, M. and Doskeland, S. O.
Multiple apoptotic death types triggered through activation of separate pathways by cAMP and inhibitors of protein phosphatases in one (IPC leukemia) cell line 3363-3377

Carmeliet, G., Himpens, B. and Cassiman, J.-J.
Selective increase in the binding of the $\alpha_1\beta_1$ integrin for collagen type IV during neurite outgrowth of human neuroblastoma TR 14 cells 3379-3392

Clarke, G. A. and Moss, D. J.
Identification of a novel protein from adult chicken brain that inhibits neurite outgrowth 3393-3402

Léger, J. G., Brandt, R. and Lee, G.
Identification of tau protein regions required for process formation in PC12 cells 3403-3412

Nagasaki, T., Liao, G. and Gundersen, G. G.
Isolated plasma membranes induce the loss of oriented detyrosinated microtubules and other contact inhibition-like responses in migrating NRK cells 3413-3423

Pryde, J. G.
A group of integral membrane proteins of the rat liver Golgi contains a conserved protein of 100 kDa 3425-3436

Lütcke, A., Parton, R. G., Murphy, C., Olkkonen, V. M., Dupree, P., Valencia, A., Simons, K. and Zerial, M.
Cloning and subcellular localization of novel rab proteins reveals polarized and cell type-specific expression 3437-3448

Cowles, C. R., Emr, S. D. and Horazdovsky, B. F.
Mutations in the *VPS45* gene, a *SEC1* homologue, result in vacuolar protein sorting defects and accumulation of membrane vesicles 3449-3459

Subtil, A., Hémar, A. and Dautry-Varsat, A.
Rapid endocytosis of interleukin 2 receptors when clathrin-coated pit endocytosis is inhibited 3461-3468

Kramer, I. M., Patel, R., Spargo, D. and Riley, P.
Initiation of growth inhibition by TGFβ1 is unlikely to occur in G_1 3469-3475

Das, A., Gale, M. Jr, Carter, V. and Parsons, M.
The protein phosphatase inhibitor okadaic acid induces defects in cytokinesis and organellar genome segregation in *Trypanosoma brucei* 3477-3483

Kuriyama, R., Dragas-Granoic, S., Maekawa, T., Vassilev, A., Khodjakov, A. and Kobayashi, H.
Heterogeneity and microtubule interaction of the CHO1 antigen, a mitosis-specific kinesin-like protein. Analysis of subdomains expressed in insect sf9 cells 3485-3499

Chen, X., Reynolds, E. R., Ranganayakulu, G. and O'Donnell, J. M.
A maternal product of the *Punch* locus of *Drosophila melanogaster* is required for precellular blastoderm nuclear divisions 3501-3513

Pasion, S. G., Brown, G. W., Brown, L. M. and Ray, D. S.
Periodic expression of nuclear and mitochondrial DNA replication genes during the trypanosomatid cell cycle 3515-3520

Cenci, G., Bonaccorsi, S., Pisano, C., Verni, F. and Gatti, M.
Chromatin and microtubule organization during premeiotic, meiotic and early postmeiotic stages of *Drosophila melanogaster* spermatogenesis 3521-3534

Heintzelman, M. B., Hasson, T. and Mooseker, M. S.
Multiple unconventional myosin domains of the intestinal brush border cytoskeleton 3535-3543

Gillard, B. K., Thurmon, L. T., Harrell, R. G., Capetanaki, Y., Saito, M., Yu, R. K. and Marcus, D. M.
Biosynthesis of glycosphingolipids is reduced in the absence of a vimentin intermediate filament network 3545-3555

Berdichevsky, F., Alford, D., D'Souza, B. and Taylor-Papadimitriou, J.
Branching morphogenesis of human mammary epithelial cells in collagen gels 3557-3568

Hall, P. A., Coates, P. J., Ansari, B. and Hopwood, D.
Regulation of cell number in the mammalian gastrointestinal tract: the importance of apoptosis 3569-3577

Kojima, T., Sawada, N., Oyamada, M., Chiba, H., Isomura, H. and Mori, M.
Rapid appearance of connexin 26-positive gap junctions in centrilobular hepatocytes without induction of mRNA and protein synthesis in isolated perfused liver of female rat 3579-3590

Misener, V. L., Hui, C.-c., Malapitan, I. A., Ittel, M.-E., Joyner, A. L. and Jongstra, J.
Expression of mouse LSP1/S37 isoforms. S37 is expressed in embryonic mesenchymal cells 3591-3600

Portolés, M., Faura, M., Renau-Piqueras, J., Iborra, F. J., Saez, R., Guerri, C., Serratosa, J., Rius, E. and Bachs, O.
Nuclear calmodulin/62 kDa calmodulin-binding protein complexes in interphasic and mitotic cells 3601-3614

Lewis, J. E., Jensen, P. J., Johnson, K. R. and Wheelock, M. J.
E-cadherin mediates adherens junction organization through protein kinase C 3615-3621

Jäntti, J., Keränen, S., Toikkanen, J., Kuismanen, E., Ehnholm, C., Söderlund, H. and Olkkonen, V. M.
Membrane insertion and intracellular transport of yeast syntaxin Sso2p in mammalian cells 3623-3633

Hughes, D. A., Yabana, N. and Yamamoto, M.
Transcriptional regulation of a Ras nucleotide-exchange factor gene by extracellular signals in fission yeast 3635-3642

Chrzanowska-Wodnicka, M. and Burridge, K.
Tyrosine phosphorylation is involved in reorganization of the actin cytoskeleton in response to serum or LPA stimulation 3643-3654

Aberle, H., Butz, S., Stappert, J., Weissig, H., Kemler, R. and Hoschuetsky, H.
Assembly of the cadherin-catenin complex in vitro with recombinant proteins 3655-3663

1994 Index of Authors and Titles 3665-3681

1994 Subject Index 3683-3718